



SBC Thrust Ball Bearing 推力球轴承

基本尺寸 (mm)				轴承型号	额定载荷 (N)		极限转速 (rpm)		重量 (kg)
Principal dimensions				Bearing No.	Basic load ratings		Speed ratings		weight
d	D	B	r (min)		dynamic (Cr)	static (Cor)	脂 (grease)	油 (oil)	
10	24	9	0.3	51100	10000	14000	6300	9000	0.019
	26	11	0.6	51200	12500	17000	6000	8000	0.028
12	26	9	0.3	51101	10200	15200	6000	8500	0.021
	28	11	0.6	51201	13200	19000	5300	7500	0.031
15	28	9	0.3	51102	10500	16800	5600	8000	0.022
	32	12	0.6	51203	17000	27200	4500	6300	0.048
17	30	9	0.3	51103	10800	18200	5300	7500	0.024
	35	12	0.6	51203	17000	27200	4500	6300	0.048
20	35	10	0.3	51104	14200	24500	4800	6700	0.036
	40	14	0.6	51204	22200	37500	3800	5300	0.075
	47	18	1	51304	35000	55800	3600	4500	0.15
25	42	11	0.6	51105	15200	30200	4300	6000	0.055
	47	15	0.6	51205	27800	50500	3400	4800	0.11
	52	18	1	51305	35500	61500	3000	4300	0.17
	60	24	1	51405	55500	89200	2200	3400	0.31
30	47	11	0.6	51106	16000	34200	4000	5600	0.062
	52	16	0.6	51206	28000	54200	3200	4500	0.13
	60	21	1	51306	42800	78500	2400	3600	0.26
	70	28	1	51406	72500	125000	1900	3000	0.51
35	52	12	0.6	51107	18200	41500	3800	5300	0.077
	62	18	1	51207	39200	78200	2800	4000	0.21
	68	24	1	51307	55200	105000	2000	3200	0.37
	80	32	1.1	51407	86800	155000	1700	2600	0.76
40	60	13	0.6	51108	26800	62800	3400	4800	0.11
	68	19	1	51208	47000	98200	2400	3600	0.26
	78	26	1	51308	69200	135000	1900	3000	0.53
	90	36	1.1	51408	112000	205000	1500	2200	1.06
45	65	14	0.6	51109	27000	66000	3200	4500	0.14
	73	20	1	51209	47800	105000	2200	3400	0.3
	85	28	1	51309	75800	150000	1700	2600	0.66
	100	39	1.1	51409	140000	262000	1400	2000	1.41
50	70	14	0.6	51110	27200	69200	3000	4300	0.15
	78	22	1	51210	48500	112000	2000	3200	0.37



SBC Thrust Ball Bearing 推力球轴承

基本尺寸(mm)				轴承型号	额定载荷(N)		极限转速(rpm)		重量(kg)
Principal dimensions				Bearing No.	Basic load ratings		Speed ratings		weight
d	D	B	r(min)		dynamic (Cr)	static (Cor)	脂(grease)	油(oil)	
	95	31	1.1	51310	96500	202000	1600	2400	0.92
	110	43	1.5	51410	160000	302000	1300	1900	1.86
55	78	16	0.6	51111	33800	89200	2800	4000	0.22
	90	25	1	51211	67500	158000	1900	3000	0.58
	105	35	1.1	51311	115000	242000	1500	2200	1.28
	120	48	1.5	51411	182000	355000	1100	1700	2.51
60	85	17	1	51112	40200	108000	2600	3800	0.27
	95	26	1	51212	73500	178000	1800	2800	0.66
	110	35	1.1	51312	118000	262000	1400	2000	1.37
	130	51	1.5	51412	200000	395000	1000	1600	3.08
65	90	18	1	51113	40500	112000	2400	3600	0.31
	100	27	1	51213	74800	188000	1700	2600	0.72
	115	36	1.1	51313	115000	262000	1300	1900	1.48
	140	56	2	51413	215000	448000	900	1400	3.91
70	95	18	1	51114	40800	115000	2200	3400	0.33
	105	27	1	51214	73500	188000	1600	2400	0.75
	125	40	1.1	51314	148000	340000	1200	1800	1.98
	150	60	2	51414	255000	560000	850	1300	4.85
75	100	19	1	51115	48200	140000	2000	3200	0.38
	110	27	1	51215	74800	198000	1500	2200	0.82
	135	44	1.5	51315	162000	380000	1100	1700	2.58
	160	65	2	51415	268000	615000	800	1200	6.08
80	105	19	1	51116	48500	145000	1900	3000	0.4
	115	28	1	51216	83800	222000	1400	2000	0.9
	140	44	1.5	51316	160000	380000	1000	1600	2.69
	170	68	2.1	51416	292000	692000	750	1100	7.12
85	110	19	1	51117	49200	150000	1800	2800	0.42
	125	31	1	51217	102000	280000	1300	1900	1.21
	150	49	1.5	51317	208000	495000	950	1500	3.47
	180	72	2.1	51417	318000	782000	700	1000	8.28
90	120	22	1	51118	65000	200000	1700	2600	0.65
	135	35	1.1	51218	115000	315000	1200	1800	1.65
	155	50	1.5	51318	205000	495000	900	1400	3.69
	190	77	2.1	51418	325000	825000	670	950	9.86



SBC Thrust Ball Bearing 推力球轴承

基本尺寸(mm)				轴承型号	额定载荷(N)		极限转速(rpm)		重量(kg)
Principal dimensions				Bearing No.	Basic load ratings		Speed ratings		weight
d	D	B	r(min)		dynamic (Cr)	static (Cor)	脂(grease)	油(oil)	
100	135	25	1	51120	85000	268000	1600	2400	0.95
	150	38	1.1	51220	132000	375000	1100	1700	2.21
	170	55	1.5	51320	235000	595000	800	1200	4.86
	210	85	3	51420	400000	1080000	600	850	13.3
110	145	25	1	51122	87000	288000	1500	2200	1.03
	160	38	1.1	51222	138000	412000	1000	1600	2.39
	190	63	2	51322	278000	755000	700	1100	7.05
120	155	25	1	51124	87000	298000	1400	2000	1.1
	170	39	1.1	51224	135000	412000	950	1500	2.62
	210	70	2.1	51324	330000	945000	670	950	9.54
130	170	30	1	51126	108000	375000	1300	1900	1.7
	190	45	1.5	51226	188000	575000	900	1400	3.93
	225	75	2.1	51326	358000	1070000	600	850	11.7
140	180	31	1	51128	110000	402000	1200	1800	1.85
	200	46	1.5	51228	190000	598000	850	1300	4.27
	240	80	2.1	51328	395000	1230000	560	800	14.1
150	190	31	1	51130	110000	415000	1100	1700	1.95
	215	50	1.5	51230	242000	768000	800	1200	5.52
	250	80	2.1	51330	405000	1310000	530	750	14.9
160	200	31	1	51132	110000	428000	1000	1600	2.06
	225	51	1.5	51232	240000	768000	750	1100	5.91
	270	87	3	51332	470000	1570000	500	700	18.9
170	215	34	1.1	51134	135000	528000	950	1500	2.71
	240	55	1.5	51234	280000	918000	700	1000	7.31
180	225	34	1.1	51136	135000	528000	900	1400	2.77
190	240	37	1.1	51138	172000	678000	850	1300	3.61
200	250	37	1.1	51140	172000	698000	800	1200	3.77