



SBC Deep Groove Ball Bearing 深沟球轴承

基本尺寸(mm)				轴承型号			额定载荷(N)		极限转速(rpm)		重量(kg)
principal dimensions				Bearing No.			Basic load ratings		Speed ratings		weight
d	D	B	r(min)	open	shielded	sealed	dynamic (Cr)	static (Cor)	脂 (grease)	油(oil)	
10	19	5	0.3	61800	ZZ	2RS	1720	840	24000	40000	0.005
	22	6	0.3	61900	ZZ	2RS	2700	1270	22000	38000	0.009
	26	8	0.3	6000	ZZ	2RS	4550	1970	31000	36000	0.11
	30	9	0.6	6200	ZZ	2RS	5100	2390	24000	29000	0.03
	35	11	0.6	6300	ZZ	2RS	8100	3470	22000	27000	0.05
12	21	5	0.3	61801	ZZ	2RS	1920	1040	20000		
	24	6	0.3	61901	ZZ	2RS	2890	1460	20000	36000	0.01
	28	7	0.3	16001	ZZ	2RS	5100	2370	18000	32000	0.019
	28	8	0.3	6001	ZZ	2RS	5100	2840	27000	17000	0.02
	32	10	0.6	6201	ZZ	2RS	6800	3060	22000	27000	0.03
	37	12	1	6301	ZZ	2RS	9700	5090	20000	25000	0.05
15	24	5	0.3	61802	ZZ	2RS	2070	1260	17000	34000	
	28	7	0.2	61902	ZZ	2RS	4350	2260	17000	30000	0.015
	32	8	0.3	16002	ZZ	2RS	5600	2830	15000	38000	0.027
	32	9	0.3	6002	ZZ	2RS	5600	2840	23000	27000	0.03
	35	11	0.6	6202	ZZ	2RS	7650	3720	20000	24000	0.04
	42	13	1	6302	ZZ	2RS	11400	5430	17000	20000	0.08
17	26	5	0.3	61803	ZZ	2RS	2630	1570	15000	30000	
	30	7	0.3	61903	ZZ	2RS	4600	2550	15000	28000	0.017
	35	8	0.3	16003	ZZ	2RS	6000	3250	13000	26000	0.33
	35	10	0.3	6003	ZZ	2RS	6000	3250	21000	25000	0.04
	40	12	0.6	6203	ZZ	2RS	9550	4790	17000	21000	0.06
	47	14	1	6303	ZZ		13600	6580	15000	18000	0.11
	62	17	1	6403	-	2RS	22500	10800	22000	15000	0.268
20	32	7	0.3	61804	ZZ	2RS	4000	2470	13000	26000	
	37	9	0.3	61904	ZZ	2RS	6400	3700	12000	22000	0.037
	42	8	0.3	16004	ZZ	2RS	7900	4450	11000	20000	0.048
	42	12	0.6	6004	ZZ	2RS	9400	5030	15000	19000	0.06
	47	14	1	6204	ZZ	2RS	12800	6650	14000	18000	0.1
	52	15	1.1	6304	ZZ	2RS	15900	7880	13000	17000	0.14
	72	19	1.1	6404	-	2RS	31000	15200	9500	13000	0.04
22	44	12	0.6	60/22	ZZ	2RS	9400	5050	11000	20000	
	50	14	1	62/22	ZZ	2RS	12900	6800	9500	16000	0.119
	56	16	1.1	63/22	ZZ	2RS	18400	92500	9500	16000	0.179
25	37	7	0.3	61805	ZZ	2RS	4500	3150	10000	22000	
	42	9	0.3	61905	ZZ	2RS	7050	4550	10000	19000	0.042
	47	8	0.3	16005	ZZ	2RS	8850	5600	9500	18000	0.059



SBC Deep Groove Ball Bearing 深沟球轴承

基本尺寸(mm)				轴承型号			额定载荷(N)		极限转速(rpm)		重量(kg)
principal dimensions				Bearing No.			Basic load ratings		Speed ratings		weight
d	D	B	r(min)	open	shielded	sealed	dynamic (Cr)	static (Cor)	脂 (grease)	油(oil)	
	47	12	0.6	6005	ZZ	2RS	10100	5850	13000	17000	0.17
	52	15	1	6205	ZZ	2RS	14000	7880	12000	16000	0.12
	62	17	1.1	6305	ZZ	2RS	20600	11500	10000	14000	0.22
	80	21	1.5	6405	-	2RS	38200	19200	7500	12000	0.529
28	52	12	0.6	60/28	ZZ	2RS	12500	7400	8500	16000	0.096
	58	16	1	62/28	ZZ	2RS	17900	9500	8000	14000	0.175
	68	18	1.1	63/28	ZZ	2RS	26700	14000	7500	13000	0.287
30	42	7	0.3	61806	ZZ	2RS	4700	3650	9000	18000	0.024
	47	9	0.3	61906	ZZ	2RS	7250	5000	8500	17000	0.052
	55	9	0.3	16006	ZZ	2RS	11200	7350	8000	15000	0.087
	55	13	1	6006	ZZ	2RS	13200	8300	10000	14000	0.116
	62	16	1	6206	ZZ	2RS	19500	11310	9500	13000	0.2
	72	19	1.1	6306	-	2RS	26700	15190	6700	12000	0.35
	90	23	1.5	6406	-	-	47500	15190	6000	11000	0.71
32	58	13	1.1	60/32	ZZ	2RS	15100	9150	7500	16000	0.027
	65	17	1	62/32	ZZ	2RS	20700	11600	7100	12000	0.225
	75	20	1.1	63/32	ZZ	2RS	29900	17000	6300	11000	0.389
35	47	7	0.3	61807	ZZ	2RS	4900	4100	7500	16000	0.027
	55	10	0.6	61907	ZZ	2RS	10600	7250	7500	15000	0.075
	62	9	0.3	16007	ZZ	2RS	11700	8200	6700	13000	0.107
	62	14	1	6007	ZZ	2RS	16000	10420	9000	12000	0.14
	72	17	1.1	6207	ZZ	2RS	25700	15200	8500	11000	0.27
	80	21	1.5	6307	-	2RS	33500	19200	8000	10000	0.42
	100	25	1.5	6407	-	-	56800	29500	5800	9500	0.926
40	52	7	0.3	61808	ZZ	2RS	4900	4350	6700	14000	0.031
	62	12	0.6	61908	ZZ	2RS	13700	10000	6300	13000	0.112
	68	9	0.3	16008	ZZ	2RS	12600	9650	6000	12000	0.13
	68	15	1	6008	ZZ	2RS	16800	11800	8500	11000	0.16
	80	18	1.1	6208	ZZ	2RS	29500	18000	8000	10000	0.27
	90	23	1.5	6308	-	2RS	40800	24000	7000	9000	0.42
45	58	7	0.3	61809	ZZ	2RS	5350	5250	6000	13000	0.03
	68	12	0.6	61909	ZZ	2RS	14100	10900	5600	12000	0.126
	75	10	0.6	16009	ZZ	2RS	14900	11400	5300	11000	0.167
	75	16	1	6009	ZZ	2RS	21000	14800	8000	10000	0.24
	85	19	1.1	6209	ZZ	2RS	31500	20500	7000	9000	0.42
	100	25	1.5	6309	ZZ	2RS	52800	31800	6300	8000	0.83
	120	29	2	6409	-	2RS	77500	45500	4300	7500	1.52



SBC Deep Groove Ball Bearing 深沟球轴承

基本尺寸(mm)				轴承型号			额定载荷(N)		极限转速(rpm)		重量(kg)
principal dimensions				Bearing No.			Basic load ratings		Speed ratings		weight
d	D	B	r(min)	open	shielded	sealed	dynamic (Cr)	static (Cor)	脂 (grease)	油(oil)	
											1.52
50	65	7	0.3	61810	ZZ	2RS	6400	6200	5300	11000	0.05
	72	12	0.6	61910	ZZ	2RS	14500	11700	5300	11000	0.135
	80	10	0.6	16010	ZZ	2RS	15400	12400	5300	10000	0.175
	80	16	1	6010	ZZ	2RS	22000	16200	7000	9000	0.28
	90	20	1.1	6210	ZZ	2RS	35000	23200	6700	8500	0.47
	110	27	2	6310	ZZ	2RS	61800	38100	6000	7500	1.08
	130	31	2.1	6410	-	2RS	92200	55200	4000	6500	1.96
55	72	9	0.3	61811	ZZ	2RS	8800	8500	4800	10000	0.081
	80	13	1	61911	ZZ	2RS	16000	13300	4500	9500	0.189
	90	11	0.6	16011	-	2RS	19400	16300	4500	9000	0.257
	90	18	1.1	6011	ZZ	2RS	30200	21800	6300	8000	0.38
	100	21	1.5	6211	ZZ	2RS	43200	29200	6000	7500	0.58
	120	29	2	6311	ZZ	2RS	71500	44800	5300	6700	1.37
	140	33	2.1	6411	-	2RS	10000	62500	3800	6500	2.316
60	78	10	0.3	61812	ZZ	2RS	11500	10900	4500	9500	0.103
	85	13	1	61912	ZZ	2RS	19400	16300	4300	9000	0.192
	95	11	0.6	16012	-	2RS	20000	17500	-	8500	0.218
	95	18	1.1	6012	ZZ	2RS	31500	24200	6000	7500	0.41
	110	22	1.5	6212	ZZ	2RS	47800	32800	5600	7000	0.77
	130	31	2.1	6312	ZZ	2RS	81800	51800	5000	6300	1.71
	150	35	2.1	6412	-	2RS	108000	70000	3500	6000	2.811
65	85	10	0.6	61813	ZZ	2RS	11900	12100	4000	8500	0.128
	90	13	1	61913	ZZ	2RS	17400	16100	4000	8500	0.218
	100	11	0.6	16013	-	2RS	20500	18700	-	8000	0.3
	100	18	1.1	6013	ZZ	2RS	32000	24800	5600	7000	0.44
	120	23	1.5	6213	ZZ	2RS	57200	40000	5000	6300	0.98
	140	33	2.1	6313	ZZ	2RS	93800	60500	4500	5600	2.09
	160	37	2.1	6413	-	2RS	118000	78500	-	5800	3.342
70	90	10	0.6	61814	ZZ	2RS	12100	12700	3800	8000	0.134
	100	16	1	61914	ZZ	2RS	23700	21200	3600	7500	0.349
	110	13	0.6	16014	-	2RS	26800	23600	-	7100	0.441
	110	20	1.1	6014	ZZ	2RS	38500	30500	5300	6700	0.6
	125	24	1.5	6214	ZZ	2RS	60800	45000	4800	6000	1.07
	150	35	2.1	6314	ZZ	2RS	104000	68000	4300	5300	2.52
75	95	10	0.6	61815	ZZ	2RS	12500	13900	5600	7500	0.149
	105	16	1	61915	ZZ	2RS	24400	22600	5200	7100	0.364
	115	13	0.6	16015	-	2RS	27600	25300	-	6700	0.463



SBC Deep Groove Ball Bearing 深沟球轴承

基本尺寸(mm)				轴承型号			额定载荷(N)		极限转速(rpm)		重量(kg)
principal dimensions				Bearing No.			Basic load ratings		Speed ratings		weight
d	D	B	r(min)	open	shielded	sealed	dynamic (Cr)	static (Cor)	脂 (grease)	油(oil)	
	115	20	1.1	6015	ZZ	2RS	40200	33200	5000	6300	0.64
	130	25	1.5	6215	ZZ	2RS	66000	49500	4500	5600	1.18
	160	37	2.1	6315	ZZ	2RS	113000	76800	4000	5000	3
80	100	10	0.6	61816	ZZ	2RS	12700	14500	3400	7100	
	110	16	1	61916	ZZ	2RS	25000	24000	3200	6700	0.391
	125	14	0.6	16016	ZZ	2RS	32000	29600	-	6300	0.621
	125	22	1.1	6016	ZZ	2RS	47500	40000	3200	6300	0.872
	140	26	2	6216	ZZ	2RS	72500	53000	3000	5300	1.42
	170	39	2.1	6136	ZZ	2RS	123000	86500	2800	4800	3.67
85	110	13	1	61817	ZZ	2RS	18700	20000	3200		
	120	18	1.1	61917	ZZ	2RS	32000	29600	2800	6300	0.55
	130	14	0.6	16017	ZZ	2RS	33000	31500	-	6000	0.652
	130	22	1.1	6017	ZZ	2RS	49500	43000	3000	6000	0.918
	150	28	2	6217	ZZ	2RS	84000	62000	2800	5000	1.76
	180	41	3	6317	ZZ	2RS	133000	97000	2600	4500	4.28
90	115	13	1	61818	ZZ	2RS	19000	21000	2800		
	125	18	1.1	61918	ZZ	2RS	33000	31500	2800	6000	0.585
	140	16	1	16018	ZZ	2RS	41500	39500	-	5600	0.873
	140	24	1.5	6018	ZZ	2RS	58000	50000	2800	5600	1.19
	160	30	2	6218	ZZ	2RS	96000	71500	2600	4800	2.18
	190	43	3	6318	ZZ	2RS	143000	107000	2400	4300	4.98
95	120	13	1	61819	ZZ	2RS	192000	22000	2800		
	130	18	1.1	61919	ZZ	2RS	33500	33500	2500	5600	0.601
	145	16	1	16019	ZZ	2RS	43000	42000	-	5300	0.904
	145	24	1.5	6019	ZZ	2RS	60500	54000	2600	5300	1.23
	170	32	2.1	6219	ZZ	2RS	109000	82000	2600	4500	2.64
	200	45	3	6319	ZZ	2RS	153000	119000	2400	3600	5.76
100	125	13	1	61820	ZZ	2RS	196000	23000	2800		
	140	20	1.1	61920	ZZ	2RS	43000	42000	2600	5300	0.828
	150	16	1	16020	ZZ	2RS	42500	42000	-	5300	0.945
	150	24	1.5	6020	ZZ	2RS	60000	54000	2600	5300	1.29
	180	34	2.1	6220	ZZ	2RS	122000	93000	2400	4300	3.17
	215	47	3	6320	ZZ	2RS	173000	141000	2200	3400	7.04
105	130	13	1	61821	ZZ	2RS	19800	23900	2500		
	145	20	1.1	61921	ZZ	2RS	42500	42000	2400	5300	0.856
	160	18	1	16021	ZZ	2RS	52000	50500	-	4800	1.24
	160	26	2	6021	ZZ	2RS	72500	66000	2400	4800	1.58



SBC Deep Groove Ball Bearing 深沟球轴承

基本尺寸(mm)				轴承型号			额定载荷(N)		极限转速(rpm)		重量(kg)
principal dimensions				Bearing No.			Basic load ratings		Speed ratings		weight
d	D	B	r(min)	open	shielded	sealed	dynamic (Cr)	static (Cor)	脂 (grease)	油(oil)	
	190	36	2.1	6211	ZZ	2RS	133000	105000	2000	4000	3.79
	225	49	3	6321	ZZ	2RS	184000	154000	2000	3200	8.09
110	140	16	1	61822	ZZ	2RS	28100	32500	2500	5300	0.497
	150	20	1.1	61922	ZZ	2RS	43500	44500	2400	5000	0.893
	170	19	1	16022	ZZ	2RS	57500	56500	-	4500	1.51
	170	28	2	6022	ZZ	2RS	85000	73000	2200	4500	1.94
	200	38	2.1	6222	ZZ	2RS	144000	117000	2200	3400	4.45
	240	50	3	6322	ZZ	2RS	205000	179000	2000	3000	9.51
120	150	16	1	61824	ZZ	2RS	28900	35500	2200	4800	0.537
	165	22	1.1	61924	ZZ	2RS	53000	54000	2000	4500	1.21
	180	19	1	16024	ZZ	2RS	56500	57500	-	4300	1.6
	180	28	2	6024	ZZ	2RS	88000	80000	2200	4300	2.08
	215	40	2.1	6224	ZZ	2RS	155000	131000	2000	3200	5.29
	260	55	3	6324	ZZ	2RS	207000	185000	1800	2800	12.5
130	165	18	1.1	61826	ZZ	2RS	37000	44000	1600	3400	0.758
	180	24	1.5	61926	ZZ	2RS	65000	67500	1500	4000	1.57
	200	22	1.1	16026	ZZ	2RS	75500	77500	-	3600	2.4
	200	33	2	6026	ZZ	2RS	106000	101000	1900	3600	3.26
	230	40	3	6226	ZZ	2RS	167000	146000	1800	3000	5.96
	280	58	4	6326	ZZ	2RS	229000	214000	1600	3600	15.2
140	175	18	1.1	61828	ZZ	2RS	38500	48000	1900	4000	0.832
	190	24	1.5	61928	ZZ	2RS	66500	72000	1500	3800	1.67
	210	22	1.1	16028	ZZ	2RS	77500	82500	-	3400	2.84
	210	33	2	6028	ZZ	2RS	110000	109000	1800	3400	3.48
	250	42	3	6228	ZZ	2RS	166000	150000	1700	2800	7.68
	300	62	4	6328	ZZ	2RS	253000	246000	-	2400	18.5
150	190	20	1.1	61830	ZZ	2RS	47500	58500	-	3800	1.15
	210	28	2	61930	ZZ	2RS	85000	90500	-	3200	3.01
	225	24	1.1	160302	ZZ	2RS	84000	91000	-	3000	3.62
	225	35	2.1	6030	ZZ	2RS	126000	126000	1700	3000	4.24
	270	45	3	6230	ZZ	2RS	176000	168000	1600	2600	10
	320	65	4	6330	ZZ	2RS	274000	284000	1400	2200	22.7
160	200	20	1.1	61832	ZZ	2RS	485000	61000	-	3200	1.23
	220	28	2	61932	ZZ	2RS	87000	96000	-	3000	2.71
	240	25	1.5	16032	ZZ	2RS	99000	108000	-	2800	4.2
	240	38	2.1	6032	ZZ	2RS	137000	135000	1600	2800	5.15
	290	48	4	6232	ZZ	2RS	185000	186000	1500	2400	12.8



SBC Deep Groove Ball Bearing 深沟球轴承

基本尺寸(mm)				轴承型号			额定载荷(N)		极限转速(rpm)		重量(kg)
principal dimensions				Bearing No.			Basic load ratings		Speed ratings		weight
d	D	B	r(min)	open	shielded	sealed	dynamic (Cr)	static (Cor)	脂 (grease)	油(oil)	
	340	68	4	6332	ZZ	2RS	278000	287000	1300	2000	26.2
170	215	22	1.1	61834	ZZ	2RS	60000	75000	-	3000	1.86
	230	28	2	61934	ZZ	2RS	86000	97000	-	2800	3.34
	260	28	2	16034	ZZ	2RS	114000	126000	1400	2600	5.71
	260	42	2.1	6034	ZZ	2RS	161000	161000	1300	2600	6.89
	310	52	4	6234	ZZ	2RS	212000	224000	1200	2200	15.8
	360	72	4	6334	ZZ	2RS	325000	355000	-	2000	36.6
180	225	22	1.5	61836	ZZ	2RS	60500	78500	-	2800	1.98
	250	33	2	61936	ZZ	2RS	119000	128000	-	2600	4.16
	280	31	2	16030	ZZ	2RS	145000	157000	-	2400	7.5
	280	46	2.1	6036	ZZ	2RS	180000	185000	1200	2400	8.88
	320	52	4	6230	ZZ	2RS	227000	241000	1000	2000	15.9
	380	75	4	6336	ZZ	2RS	355000	405000	900	1800	43.1
190	240	24	1.5	61838	ZZ	2RS	73000	93500		2600	2.53
	260	33	2	61938	ZZ	2RS	113000	127000		2600	5.18
	290	31	2	16038	ZZ	2RS	149000	168000		2400	7.78
	290	46	2.1	6038	ZZ	2RS	188000	201000		2400	9.39
	340	55	4	6238	ZZ	2RS	255000	282000		2000	22.3
	400	78	5	6338	ZZ	2RS	355000	415000		1700	49.7
200	250	24	1.5	61840	ZZ	2RS	74000	98000		2600	2.67
	280	38	2.1	61940	ZZ	2RS	143000	158000		2400	7.28
	310	34	2	16040	ZZ	2RS	161000	180000		2200	10
	310	51	2.1	6040	ZZ	2RS	207000	226000		2200	12
	360	58	4	6240	ZZ	2RS	269000	310000		1800	26.7
	420	80	5	6340	ZZ	2RS	380000	445000		1600	55.3
220	270	24	1.5	61844	ZZ	2RS	76500	107000		2400	2.9
	300	38	2.1	61944	ZZ	2RS	146000	169000		2200	7.88
	340	37	2.1	16044	ZZ	2RS	180000	217000		2000	13.1
	340	56	3	6044	ZZ	2RS	235000	271000		2000	18.6
	400	65	4	6244	ZZ	2RS	410000	520000		1600	37.4
	460	88	5	6344	ZZ	2RS	310000	375000		1500	93.9
240	300	28	2	61848	ZZ	2RS	98500	137000		2000	4.88
	320	38	2.1	61948	ZZ	2RS	154000	190000		2000	4.89
	360	37	2.1	16048	ZZ	2RS	196000	243000		1900	13.9
	360	56	3	6048	ZZ	2RS	244000	296000		1900	19.9
	440	72	4	6248	ZZ	2RS	340000	430000		1500	50.5
	500	95	5	6348	ZZ	2RS	470000	625000		1300	94.4